

DAFTAR PUSTAKA

- Aeni, L.N., Sulaiman, S., Mulyani, S., 2012, Formulasi gel mukoadhesif kombinasi minyak cengkeh dan getah jarak pagar serta uji aktivitas antibakteri terhadap *Streptococcus mutant*, *Maj. Farmaseutik*, Vol. 8(1): 108-112.
- Alfaqeeh, S.A., Anil, S., 2011, Osteocalcin and N-telopeptides of type I collagen marker levels in gingival crevicular fluid during different stages of orthodontic tooth movement, *Am. J. Orthod. Dentofacial. Orthop.*, Vol. 139: 553–559
- Antika, L.D., Kim, Y.H., Kang, M.K., Park, S.H., Lee, E.J., Choi, Y.J., Kang, Y.H., 2016, Dietary compound gossypetin inhibits bone resorption through down-regulating lysosomal cathepsin K activity and autophagy-related protein induction in actin ring-bearing osteoclasts, *J. Funct. Foods*, Vol. 24(2016): 390-402.
- Arrington, H., 2007, Inducible nitric oxide synthase and periodontal inflammation: a preclinical canine study, *Thesis*, Departement of Periodontology University of North Carolina School of Dentistry.
- Aruna, G., 2016, Plasma levels of N-telopeptide of type I collagen in periodontal health, disease and after treatment, *Dent. Res. J.*, Vol. 13(1): 18-23
- Bader, H.I., 2010, Adjunctive periodontal therapy: a review of current techniques, *Dent. Today*, Vol. 29(7): 94-96.
- Bascones-Martinez, A., Munoz-Corcuera, M., Noronha, S., Mota, P., Bascones-Ilundain, C., Campo-Trapero, J., 2009, Host defence mechanisms against bacterial aggression in periodontal disease: basic mechanisms, *Med Oral Patol Oral Cir Bucal*, Vol. 14: 680-685.
- Biljana, E., Boris, V., Cena, D., Veleska-Stefkovska, D., 2011, Matrix metalloproteinases (with accent to collagenases), *J. Cell Animal Biol.*, Vol. 5(7): 113-120.
- Bioassay Technology Laboratory, 2017, *Rat cross-linked carboxy-terminal telopeptide of type I collagen ELISA Kit*, BT-Lab, Shanghai.
- Boyce, B.F., Xiu, Y., Li, J., Xing, L., Yao, Z., 2015, NF- κ B-Mediated regulation of osteoclastogenesis, *J. Clin. Endocrinol. Metab.*, Vol. 30: 35-44.
- Brennan, P.A., Thomas, G.J., Langdon, J.D., 2003, The role of nitric oxide in oral diseases, *Arc. Oral Biol.*, Vol. 48: 93-100.

- Charles P., Mosekilde, L., Risteli, L., Eriksen, E.F., 1994, Assessment of bone remodeling using biochemical indicators of type I collagen synthesis and degradation: relation to calcium kinetics, *Bone Miner.*, Vol. 24: 81-94.
- Daghigh, F., Borghaei, R.C., Thornton, R.D., Bee, J.H., 2002, Human gingival fibroblasts produce nitric oxide in response to proinflammatory cytokines, *J. Periodontol.*, Vol. 73: 392-400.
- De Souza, A.P., Da Silva, R.A., Da Silva, M.A.D., Catanzaro-Guimaraes, S.A., Line, S.R.P., 2005, Matrix metalloproteinases: the most important pathway involved with periodontal destruction, *Braz J Oral Sci*, Vol. 4(15): 884-890.
- Delaisse, J-M., Andersen, T.L., Engsig, M.T., Henriksen, K., Troen, T., Blavier, L., 2003, Matrix metalloproteinases (MMP) and cathepsin K contribute differently to osteoclastic activities, *Microscopy Res. Tech.*, Vol. 61: 504-513.
- Dharmayanti, A.W. S., 2013, Review: pyridinoline cross link as biomarker alveolar bone destruction, *Ind. Jour. Dent. Res. Proc. Int. Symp. Oral Dent. Sci.*, Maret 2013, h. 20-23.
- Dharmayanti, A.W. S., Widjijono, Suryono, 2013, C-telopeptide pyridinoline level in gingival crevicular fluid as indicator of alveolar bone resorption, *Dentika Dent. J.*, 16(1):1-3.
- Fadlil, P.N.I., Ermawati, T., Hikmah, N., Pengaruh pemberian gel ekstrak biji kopi robusta (*coffea robusta*) terhadap ketebalan epitel gingiva model tikus periodontitis yang diinduksi *Porphyromonas gingivalis*, *Prosiding the 3th Dentistry Scientific Meeting of Jember Fakultas Kedokteran Gigi Universitas Jember*, 18 Maret 2016, h. 102-110.
- Federation Dentaire Internationale, 2015, *The Challenge of Oral Disease, A Call for Global Action: The Oral Health Atlas*, 2nd Ed., FDI World Dental Federation, Brighton.
- Fedi, P.F., Vernino, A.R., Gray, J.L., 2012, *Silabus Periodonti*, EGC, Jakarta.
- Flemmig TF., 1999, Periodontitis, *Ann Periodontol*, vol.4(1): 32-37.
- Garg, A., Aggarwal, D., Garg, S., Singla, A.K., 2002, Spreading of semisolid formulations: an update, *Pharm. Tech.*, Vol. September: 84-102.
- Garnero, P., Ferreras, M., Karsdal, M.A., Nicamhlaoibh, R., Ristell, J., Borel, O., Qvist, P., Delmas, P.D., Foged, N.T., Delaisse, J.M., 2003, The type I collagen fragments ICTP and CTX reveal distinct enzymatic pathways of bone collagen degradation, *J.Bone Miner. Res.*, Vol. 18(5): 859-865.

- Giannobile, W.V., 2008, Host-response therapeutics for periodontal diseases, *J. Periodontol.*, Vol. 79: 1592-1600.
- Giannobile, W.V., Lynch, S.E., Denmark, R.G., Paquette, D.W., Fiorellini, J.P., Williams, R.C., 1995, Crevicular fluid osteocalcin and pyridinoline cross-linked carboxyterminal telopeptide of type I collagen (ICTP) as markers of rapid bone turnover in periodontitis: a pilot study in beagle dogs, *J. Clin. Periodontol.*, Vol. 22: 903-910
- Golub, L.M., Lee, H.M., Greenwald, R.A., Ryan, M.E., Sorsa, T., Salo, T., Giannobile, W.V., 1997, A matrix metalloproteinase inhibitor reduces bone-type collagen degradation fragments and specific collagenases in gingival crevicular fluid during adult periodontitis, *Inflamm. Res.*, Vol. 46: 310-319.
- Gullu, C., Ozmeric, N., Tokman, B., Elgun, S., Balos, K., 2005, Effectiveness of scaling and root planing versus modified Widman flap on nitric oxide synthase and arginase activity in patients with chronic periodontitis, *J. Periodontal Res.*, Vol. 40: 168-175.
- Gursoy, U.K., Kononen, E., Huuonen, S., Tervahartiala, T., Pussinen, P.J., Suominen, A.L., Sorsa, T., 2013, Salivary type I collagen degradation end-products and related matrix metalloproteinases in periodontitis, *J. Clin. Periodontol.*, Vol. 40: 18-25.
- Hasan, A., Palmer, R.M., 2014, A clinical guide to periodontology: pathology of periodontal disease, *British Dent. J.*, Vol. 216(8): 457-461
- Herrera-Arellano, A., Flores-Romero, S., Chavez-Soto, M.A., Tortoriello, J., 2004, Effectiveness and tolerability of a standardized extract from *Hibiscus sabdariffa* in patients with mild to moderate hypertension: a controlled and randomized clinical trial, *Phytomedicine*, Vol. 11(5): 375-382.
- Holliday, L.S., Vakani, A., Archer, L., Dolce, C., 2003, Effects of matrix metalloproteinase inhibitors on bone resorption and orthodontic tooth movement, *J. Dent. Res.*, Vol. 82(9): 687-691.
- Inada, M., Matsumoto, C., Uematsu, S., Akira, S., Miyaura, C., 2006, Membrane-bound prostaglandin E synthase-1-mediated prostaglandin E2 production by osteoblast plays a critical role in lipopolysaccharide-induced bone loss associated with inflammation, *J. Immunol.*, Vol. 177: 1879.
- Indriani, L., Dharmautama, M., Machmud, E., Djide, M.N., Hatta, M., 2016, Effect of roselle calyx extract in expression of matrix metallo proteinase-8 (MMP-8) in gingival crevicular fluid (GCF), *Am. J. Clin. Exp. Med.*, 4(3): 56-61.
- Ionel, A., Lucaciu, O., Tabaran, F., Berce, C., Toader, S., Hurubeanu, L., Bondor, C., Campian, R.S., 2017, Histopathological and clinical expression of

- periodontal disease related to the systemic inflammatory response, *His. Path.*, Vol. 32: 381.
- Kao, E., Hsu, J., Wang, C., Yang, S., Cheng, S., Lee, H., 2009, Polyphenols extracted from *Hibiscus sabdariffa* L. inhibited lipopolysaccharide-induced inflammation by improving antioxidative conditions and regulating cyclooxygenase-2 expression, *Biosci. Biotechnol. Biochem.*, Vol. 73(2): 385-390.
- Kaur, P., Kakar, V., 2014, Collagen: Role in oral tissues: a review, *Int. J. Sci. Res.*, Vol. 3(5): 273-275.
- Kinney, J.S., Ramseier, C.A., Giannobile, W.V., 2007, Oral fluid-based biomarkers of alveolar bone loss in periodontitis, *Ann. N Y Acad. Sci.*, 1098: 230-251.
- Knauper, V., Lopez-Otin C., Smith, B., Knight, G., Murphy, G., 1996, Biochemical characterization of human collagenase-3, *J. Biol. Chem.*, Vol. 271: 1544-1550.
- Koss, M.A., Castro, C.E., Salum, K.M., Lopez, M.E., 2009, Enzymatic profile of gingival crevicular fluid in association with periodontal status, *J. Lab. Medicine*, Vol. 40(5): 277-280.
- Kurshid, Z., Mali, M., Naseem, M., Najeeb, S., Zafar, M.S., 2017, Human gingival crevicular fluids (GCF) proteomics: an overview, *Dent. J.*, Vol. 5(12): 3.
- Kustyawati, M.E., Ramli S., 2008, *Pemanfaatan hasil tanaman hias rosella sebagai bahan minuman*, *Prosiding Seminar Nasional Sains dan Teknologi-II 2008 Universitas Lampung*, 17-18 November 2008, Lampung.
- Lamster, I.B., 1997, Evaluation of components of gingival crevicular fluid as diagnostic tests, *Ann. Periodontol*, 123-137.
- Lohinai, Z.M., Szabo, C., Role of nitric oxide in physiology and patophysiology of periodontal tissues, 1998, *Med. Sci. Monit.*, Vol. 4(6): 1089-1095.
- Majeed, Z.N., Philip, K., Alabsi, A.M., Pushparajan, S., Swaminathan, D., 2016, Identification of gingival crevicular fluid sampling, analytical methods, and oral biomarkers for the diagnosis and monitoring of periodontal diseases: a systematic review, *Dis. Mar.*, Vol. 2016: 1-23.
- Maryani, H., Kristiana, L., 2005, *Khasiat dan Manfaat Rosela*, PT. AgroMedia Pustaka, Jakarta.
- Masella, R., Santangelo, C., Archivio, M.D., Li Volti, G., Giovannini, C., Galvano, F., 2012, Protocatechuic acid and human disease prevention:

- biological activities and molecular mechanisms, *Cur. Med. Chem.*, Vol. 19: 2901-2917.
- Maulina, L., Sugihartini, N., 2015, Formulasi gel ekstrak etanol kulit buah manggis (*Garcinia mangostana* L.) dengan variasi *gelling agent* sebagai sediaan luka bakar, *Pharmaciana*, Vol. 5(1): 43-52.
- Miyaura, C., Inada, M., Matsumoto, C., Ohshiba, T., Uozumi, N., Shimizu, T., Ito, A., 2003, An Essential Role of Cytosolic Phospholipase A2 α in prostaglandin E2-mediated bone resorption associated with inflammation, *J. Exp. Med.*, Vol. 197(10): 1303-1310.
- Moncada, S., Palmer, R.M.J., Hibbs, J.R., Higgs, A.E., 1991, Nitric oxide: physiology, pathophysiology and pharmacology, *Pharm. Rev.*, Vol. 43: 109-142
- Newman, M.G., Takei H.H., Klokkeyold P.R., Carranza F.A., 2012, *Carranza's clinical periodontology*, 11th Ed., W.B. Saunders Company, Philadelphia.
- Nnam, N.M., Onyeke, N.G., 2003, Chemical composition of two varieties of sorrel (*hibiscus sabdariffa* L.), calyces and the drinks made from them, *Plant Foods Hum. Nut.*, Vol. 58: 1-7.
- Nnamonu, E.I., Ejere, V.C., Ejim, A.O., Echi, P.C., Egbuji, J.V., Eze, T.R., Eyo, J.E., 2013, Effects of *Hibiscus sabdariffa* Calyces Aqueous Extract on Serum Cholesterol, Body Weight, and Liver Biomarkers of *Rattus Novergicus*, *Int. J. Ind. Med. Plants*, 46(4): 1405-1411.
- Nurdin, S.U., Siti N., Sussi A., Asep S., Maria E.K., 2015, *Manfaat Herbal Indonesia*, Plantaxia, Jogjakarta.
- Nwaiwu, N.W., Mshelia, F., Raufu, I.A., 2012, Antimicrobial activities of crude extract of *Moringa oleifera*, *Hibiscus sabdariffa* and *Hibiscus esculentus* seeds against some enterobacteria, *J. Appl. Phytotech. Environ. Sanit.*, Vol. 1(1): 11-16.
- Obouayeba, A.P., Okoma, K.M., Diarrassouba, M., Diabate, S., Kouakou, T.H., 2015, Phytochemical characterisation and antioxidant activity of *Hibiscus sabdariffa* (malvaceae) calyx extracts, *J. Agri-Food & Appl. Sci.*, Vol. 3(2): 39-46.
- Okereke, C.N., Iroka, F.C., Chukwuma, M.O., 2015, Phytochemical analysis and medicinal uses of *Hibiscus sabdariffa*, *Int. J. Herb. Med.*, Vol. 2(6): 17.
- Olaleye, T., 2007, Cytotoxicity and antibacterial activity of methanolic extract of *Hibiscus sabdariffa*, *J. Med. Plants Res*, Vol. 1(1): 9-13.

- Omega, K.D.P, 2011, Pengaruh pemberian ekstrak kelopak bunga rosella (*Hibiscus sabdariffa* L.) terhadap jumlah sel osteoklast dan osteoblast pada periodontitis eksperimental (teknik ligasi) tikus wistar jantan, *Skripsi*, Fakultas Kedokteran Gigi Universitas Jember.
- Orzechowska, A., Grabowska, E., Plakwicz, P., Gorska, R., 2017, Occurence of selected bacteria in periodontal pockets, *Dent. Med. Probl.*, Vol. 54(4): 339-345.
- Paiva, K.B.S., Granjeiro, J.M., 2017, Matrix metalloproteinases in bone resorption, remodeling, and repair, *Prog. Mol. Biol. Transl. Sci.*, Vol. 148: 203-303
- Palys, M.D., Haffajee, A.D., Socransky, S.S., Giannobile, W.V., 1998, Relationship between c-telopeptide pyridinoline cross-links (ICTP) and putative periodontal pathogens in periodontitis, *J. Clin. Periodontol*, Vol. 25(11): 7-10.
- Paramita, M., 2017, Pengaruh ekstrak air jamur tiram (*Pleurotus ostreatus*) terhadap jumlah sel osteoblas tulang alveolar pada model tikus (*Sprague dawley*) periodontitis, *Skripsi*, Jurusan Kedokteran Gigi Fakultas Kedokteran Universitas Jenderal Soedirman.
- Putri, P.P., 2012, Formulasi gel ekstrak bunga rosella (*Hibiscus sabdariffa* Linn.) dengan uji sifat fisik dan aktivitas antibakteri *Staphylococcus epidermidis*, *Naskah Publikasi*, Fakultas Farmasi Universitas Muhammadiyah Surakarta, Surakarta.
- Qi, Y., Chin, K.L., Malekian, F., Berhane, M., Gager, J., 2005, Biological characteristics, nutritional and medicinal value of roselle, *Hibiscus sabdariffa*, *Cir. Urb. For. Nat. Res. Env.*, Vol. 604: 1.
- Raisz, L.G., 1999, Physiology and pathophysiology of bone remodeling, *Clin. Chem.*, Vol. 45(8b): 1353-1358.
- Rasmusson, L., Abtahi, J., 2014, Bisphosphonate associated osteonecrosis of the jaw: an update on pathophysiology, risk factors, and treatment, *Int. J. Dent.*, Vol. 2014: 1-6.
- Risteli, J., Elomaa, I., Niemi, S., Novamo, A., Risteli, L., 1993, Radioimmunoassay for the pyridinoline cross-linked carboxy-terminal telopeptide of type I collagen: A new serum marker of bone collagen degradation, *Clin. Chem.*, Vol. 39(4): 635-640.
- Sairanen, S., Tahtela, R., Laitinen, K., Karonen, S.L., Valimaki, M.J., 1994, Nocturnal rise in markers of bone resorption is not abolished by bedtime calcium or calcitonin, *Calc. Tiss. Int.*, Vol. 55: 349-352.

- Serio, F.G., Duncan, T.B., 2009, *The pathogenesis and treatment of periodontal disease*, American Dental Association.
- Shruthi, V.H., Ramachandra, C.T., Nidoni, U., Hiregoudar, S., Naik, N., Kurubar, A.R., 2015, Roselle (*Hibiscus sabdariffa* L.) as a source of natural colour: a review, *Plant Arch.*, Vol. 16(2): 515-522.
- Sorsa, T., Tjaderhane, L., Konttinen, Y.T., Lauhio, A., Salo, T., Lee, H.M., Golub, L.M., Brown, D.L., Mantyla, P., 2006, Matrix metalloproteinases: contribution to pathogenesis, diagnosis and treatment of periodontal inflammation, *Ann. Med.*, Vol. 38: 306-321.
- Sulistiyani, H., Fujita, M., Miyakawa, H., Nakazawa, F., 2016, Effect of roselle calyx extract on in vitro viability and biofilm formation ability of oral pathogenic bacteria, *As. Pac. J. Trop. Med.*, Vol. 9(2):119-124.
- Sulistiyani, H., Fujita, M., Nakazawa, F., 2016, Effect of roselle calyx extract on gingipain activity, production of inflammatory cytokines, and oral bacterial morphology, *JMBFS*, Vol 6(3): 961-965.
- Suwandi, T., 2012, Pengembangan potensi antibakteri kelopak bunga Hibiscus sabdariffa (rosela) terhadap *Streptococcus sanguinis* penginduksi gingivitis menuju obat herbal terstandar, *Disertasi*, Program Doktor Ilmu Kedokteran Gigi Fakultas Kedokteran Gigi Universitas Indonesia, Jakarta.
- Takeda, K., Akira, S., 2003, Microreview: Toll receptors and pathogen resistance, *Cell. Microbiol.*, Vol. 5(3): 143-153.
- Talonpoika, J.T., Hamalainen, M.M., 1994, Type I collagen carboxyterminal telopeptide in human gingival crevicular fluid in different clinical conditions and after periodontal treatment, *J. Clin. Periodontol*, Vol. 21: 320-326
- Tan, R., 2017, Efektivitas daya hambat ekstrak kelopak bunga rosella (*Hibiscus sabdariffa* Linn) terhadap *Porphyromonas gingivalis*, *Skripsi*, Fakultas Kedokteran Gigi Universitas Trisakti.
- Tsai, T.C., Huang, H.P., Chang, Y.C., Wang, C.J., 2014, An anthocyanin-rich extract from *Hibiscus sabdariffa* Linnaeus inhibits *N*-nitrosomethylurea-induced leukemia in rats, *J. Agric. Food Chem.*, Vol. 40: 1-9.
- Uchida, M., Shima, M., Shimoaka, T., Fujieda, A., Obara, K., Suzuki, H., Nagai, Y., Ikeda, T., Yamato, H., Kawaguchi, H., 2000, Regulation of matrix metalloproteinases (MMPs) and tissue inhibitors of metalloproteinases (TIMPs) by bone resorptive factors in osteoblastic cells, *J. Cell. Physiol.*, Vol. 185: 207-214.

- Varghese, S., 2006, Matrix metalloproteinases and their inhibitors in bone: an overview of regulation and functions, *Front. Biosci.*, Vol. 1: 2949-2966
- Voigt, R., 1984, *Buku Pelajaran Teknologi Sediaan Farmasi*, Edisi 5, dalam Cahyaningsih, N., 2018, Formulasi dan Evaluasi Sediaan Gel Minyak Atsiri Daun Jeruk Purut (*Citrus hystrix* DC.) dengan Basis HPMC sebagai Antibakteri Terhadap *Staphylococcus aureus*, *Skripsi*, Fakultas Farmasi Universitas Muhammadiyah Surakarta.
- Widowati, W., Rani, A.P., Hamzah, R.A., Arumwardana, S., Afifah, E., Kusuma, H.S.W., Rihibiha, D.D., Nufus, H., Amalia, A., 2017, Antioxidant and antiaging assays of *Hibiscus sabdariffa* extract and its compounds, *Nat. Prod. Sci.*, Vol. 23(3): 192-200.
- Yamauchi, M., 1996, Collagen: The Major Matrix Molecule in Mineralized Tissues, In Anderson JJB, Garner SC (eds.) Calcium and Phosphorus in Health and Disease, In Paschalis, E.P., Shane, E., Lyrilis, G., Skarantavos, G., Mendelsohn, R., Boskey, A.L., 2004, Bone Fragility and Collagen Cross-Links, *J. Bone Miner. Res.*, Vol. 19(12): 2000-2004.
- Yang, L., Gou, Y., Zhao, T., Zhao, J., Li, F., Zhang, B., Wu, X., 2012, Antioxidant capacity of extracts from calyx fruits of roselle (*Hibiscus sabdariffa* L.), *Af. J. Biotech.*, Vol. 11(17): 4063-4068.
- Yoanita, D.A., 2014, Perbedaan volume cairan sulkus gingiva antara vegetarian murni dan vegetarian tidak murni (kajian pada mahasiswa di Yogyakarta), *Skripsi*, Fakultas Kedokteran Gigi Universitas Gadjah Mada Yogyakarta.
- Zahrah, H.F.A., 2017, Pengaruh aplikasi gel kitosan-klodronat secara intrapoket terhadap kadar *osteocalcin* pada tikus *Sprague dawley* periodontitis akibat induksi bakteri *Aggregatibacter actinomycetemcomitans*, *Skripsi*, Jurusan Kedokteran Gigi Fakultas Kedokteran Universitas Jenderal Soedirman.
- Zaitseva, O.V., Shandrenko, S.G., Veliky, M.M., 2015, Biochemical markers of bone collagen type I metabolism, *Ukr. Biochem. J.*, Vol. 87(1): 25.